

Do not scale from drawings unless by agreement with HTA. Use figured dimensions only. Check all dimensions on site prior to commencing the works. Drawing to be read in conjunction with other relevant consultant information.

This drawing is the copyright of HTA Design LLP and must not be copied or reproduced in part, or in whole, without the express permission of HTA Design LLP. Drawing to be read in conjunction with specification.

Site boundary

Scheduled Monument boundary

Existing tree and Root Protection Area (RPA)

Proposed tree

SOFT LANDSCAPE

Shrub planting

Meadow planting

SuDS planting

Description

SE3	n.a.	Existing Granite setts to be retained
REA	n a	Existing metal railing to be retained

Existing metal railing to be retained

Existing brick setts to be retained

EXISTING, TO BE RETAINED AND REFURBISHED (R&R) Existing stone wall to be retained and refurbished Existing brick wall to be retained and

refurbished Existing gate to be retained and GE1 Q40/50 refurbished Existing memorial boulder to be retained

and relocated

Existing Yorkstone slab paving to be retained, cleaned and broken slabs replaced with matching

E5b Q10/123 Metal edge, flush, flexible

Timber and cast iron bench with backrest and armrests, 2.4m length

(F3) Q50/225-A Reclaimed solid timber bench

Q50/240 Litter bin

Reclaimed Yorkstone slab paving to match existing, no-dig construction Reclaimed Yorkstone slab paving to

match existing, on concrete Resin Bonded gravel on new asphalt and existing subbase, level retained

S3c Q23/200-A Resili Bolidou g.a. no-dig construction Resin Bonded gravel on new asphalt,

Interpretation signage, install only

- Drawings to be read in conjunction with all HTA hard and soft landscape information (including relevant drawings, specification and schedules), as well as
- Within Scheduled Monuments and sites within the Area of Archaeological
- Importance, an archaeological watching brief will be required to monitor groundworks and for any trial pitting, trial trenching. Refer to Arboriculturalist's information for existing tree protection requirements,
- tree works and all works within Root Protection Areas (RPAs). All work within RPAs of existing retained trees to be undertaken under arboricultural supervision and to be carried out by hand such as digging and removal of existing hard
- Refer to Civil Engineer's information for highways layouts, build-ups and loading requirements, drainage strategy and structural design information. Detailed interpretation and lighting proposals are to be developed.
 Contractors to make themselves aware of all services on site prior to
- commencement of work on site.
- All dimensions in millimetres unless stated otherwise.
- Contractor to verify and coordinate to existing conditions on site including positions of existing entrances, building features and adjacent land.
- inform shop drawings. Any discrepancy between site dimensions and drawings to be brought to the attention of the Landscape Architect prior to fabrication /
- Shop drawings to be provided by fabricators for comment prior to fabrication. Install all products to manufacturer's recommendations unless specified otherwise.
- Setting out of paving where possible to full unit dimensions to minimise site cutting. No unit to be cut to less than one third of its original size. All cutting of pavers and flags to be carried out using a diamond tipped saw.
- All service runs to be buried to depth that allows for required landscape build ups
- All service access covers in hard landscape to be recessed and surfaced with
- material to match with adjacent hard surface. All trees and plants to be set out on site with Landscape Architect in attendance prior to planting. Give sufficient notice.

 \bigstar Information provided by Civic Engineers and included on HTA's drawings.

3 04.12.24 SHS Issued for Tender 29.11.24 SHS Issued for Tender 22.11.24 KZH For Client Sign-off Rev Date Drawn Description status



CCC-CCL-HTA-GRG-DR-L-1120

ĸzH

CCC-CCL